








OUTSIDE CORNER DETAIL



ERECTOR NOTES:

1. THESE DETAILS SHOW (1) POSSIBLE CONDITION FOR EACH DETAIL. THE ERECTOR IS RESPONSIBLE TO ADAPT THESE DETAILS TO THE SPECIFIC CONDITION ENCOUNTERED IN THE FIELD.
2. IF THE PANEL ENDS PARTIALLY ON THE HIGH CELL OF THE PANEL; IT IS DESIRABLE TO USE THE TRIMMED LEG OF THE PANEL TO SUPPORT THE PANEL WHILE ATTACHING THE TRIM.
3. IF THE PANEL ENDS PARTIALLY ON A LOW CELL; THEN THE "FS-90-8" FILLER TRIM MUST BE USED.

INSIDE CORNER DETAIL



BOX 515 RAILROAD STREET
SANDY LAKE, PENNSYLVANIA 16145-0515
PHONE: 800-245-0396 • FAX: 724-376-3864

"FE-66" CONCEALED FASTENER PANEL STANDARD DETAILS

DRAWN BY: D. JUREY
CHECKED BY:

DATE: 8/11/25
DATE:

OUTSIDE & INSIDE CORNER
DETAILS

DRAWING NO.

FE66-9