


"FLEXBEAM" STANDARD TRIM SKETCHES

GA. # _____ COLOR _____

15 1/2"




REQ'D: _____ PCS. @ 10'-0" LG.

"DS1" DOWNSPOUTS

GA. # _____ COLOR _____

14 5/8"




PITCH	"A" ANGLE
1:12	171°
2:12	161°
3:12	152°
4:12	143°
5:12	135°

REQ'D: _____ PCS. @ 10'-0" LG.

"RC1" RIDGE CAP

GA. # _____ COLOR _____



14 5/8"



REQ'D: _____ PCS. @ 10'-0" LG.

"GR1" GABLE TRIM

GA. # _____ COLOR _____



PITCH	"A" ANGLE
1:12	95°
2:12	99°
3:12	104°
4:12	108°
5:12	113°

REQ'D: _____ PCS. @ 10'-0" LG.

"WR1" BASE ROOF

NOTES:

1. ALL TRIM IS MANUFACTURED IN 10'-0" LENGTHS UNLESS SPECIFIED OTHERWISE.
2. MAXIMUM LENGTH OF TRIM IS 10'-0".
3. PLEASE INSERT GAUGE OF MATERIAL IN SPACES PROVIDED.
4. PLEASE INSERT COLOR OF MATERIAL IN SPACES PROVIDED.
5. PLEASE INSERT QUANTITY DESIRED WHERE SHOWN.
6. PLEASE INSERT REQ'D DIMENSIONS.



BOX 515 RAILROAD STREET
SANDY LAKE, PENNSYLVANIA 16145-0515
PHONE: 800-245-0396 • FAX: 724-376-3864

"FLEXBEAM" STANDARD DETAILS

DRAWN BY: D. JUREY

DATE: 6/26/25

REVISED BY:

DATE:

"FLEXBEAM" STANDARD TRIM
SKETCHES

DRAWING NO.

FLEXBEAM-14